



AG/3721

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of:

Brian Eugene Baldwin et al.

Serial No.: 09/928,007

Filed: August 10, 2001

Confirmation No.: 6430

Atty. File No.: 50012-00004

For: METHOD, SYSTEM AND
APPARATUS FOR HANDLING,
LABELING, FILLING AND
CAPPING SYRINGES

) Group Art Unit: 3721

) Examiner: Brian D. Nash

SUPPLEMENTAL RESPONSE

CERTIFICATE OF MAILING

I HEREBY CERTIFY THAT this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on: 2/18/04

MARSH FISCHMANN & BREYFOGLE LLP

By:

Lynn Pennywell

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

RECEIVED

MAR 02 2004

Dear Sir:

TECHNOLOGY CENTER R3700

This communication is a Supplemental Response to the Amendment and Response filed February 17, 2004, in response to the Office Action mailed October 16, 2003, with respect to the above-referenced application. In support of the non-obviousness of pending Claims 1, 92 and 102 over U.S. Patent No. 3,599,280 to Shaw, and over Shaw in combination with U.S. Patent No. 5,884,457 to Ortiz et al., Applicant submits herewith a Declaration under 37 C.F.R. § 1.132 of Brian E. Baldwin.

While Applicant believes that no fees should be due for entry of this Supplemental Response, any such fees should be charged to Deposit Account No. 50-1419

Respectfully submitted,

MARSH FISCHMANN & BREYFOGLE, LLP

By: 

Thomas R. Marsh, Esq.
3151 South Vaughn Way, Suite 411
Aurora, Colorado 80014
Atty. Reg. No.: 31,039
Telephone: (303) 338-0997
Facsimile: (303) 338-1514

Date: 2/18/04